



Sources of variation in the population. Genetic and environmental variability.

Modul no. 2: Conservation and Sustainable Use of Animal Genetic Resources

Stanisław Socha

Uniwersytet Przyrodniczo-Humanistyczny w Siedlcach

Instytut Zootechniki i Rybactwa

Wydział Agrobioinżynierii i Nauk o Zwierzętach

Erasmus+ project 2021-1-SK01-KA220-HED-000032068



Co-funded by
the European Union

Phenotype, genotype and environment

The value of the phenotype (P) depends on:

- the genotypic value of the individual
- influence of environmental conditions
 - $P = G + E$
 - P – animal phenotype
 - G – animal genotype
 - E - environmental factors

Characteristics important in animal husbandry include traits:

- related to the performance of animals (e.g. milk yield),
- animal reproduction,
- health.

Generally, the features can be classified into two groups:

- quality features,
- quantitative characteristics.

Quantitative features and qualitative features

- The main factor differentiating these two groups of features is the number of pairs of alleles (genes) affecting their shape and the number of classes of differentiated phenotypes.
- In the case of qualitative traits, the number of pairs of genes (or a series of alleles) influencing their formation is limited and varies within quite narrow limits from 1 to a maximum of 2-4.
- This, in turn, affects a limited number of genotypes (hereditary assumptions of individuals) and, as a result, individuals with specific phenotypes (all the characteristics of the organism)



Co-funded by
the European Union

EXAMPLES OF QUALITY CHARACTERISTICS

- **animal color,**
- **feather color in poultry,**
- **horned or polled cattle, sheep and goats,**
- **blood group systems.**



Co-funded by
the European Union

QUANTITATIVE FEATURES

- In the case of features defined as quantitative, the situation is much more complex.
- Firstly, the number of genes (polygens) affecting their shape is very numerous, sometimes difficult to determine.
- Then, in addition to genetic assumptions, environmental factors have a significant impact on their formation.
- This type of inheritance significantly increases the diversity of individuals in the herd as well as extremely difficult to identify genotypes based on phenotype.

HERITABILITY OF TRAITS

- With the multiplicity of factors affecting traits, it is impossible to determine the contribution of a single gene to the formation of a quantitative trait.
- Only statistical methods allow to determine the influence of genotype and environment on the variability of the trait in the herd (population) and to estimate the heritability of the traits of interest on this basis.



Co-funded by
the European Union

VARIABILITY

It is the variation in the value or quality of traits observed among individuals in a herd, in a population.

Genetic variation is the basis for the genetic improvement of animals.

Its sources are:

- **recombination (leads to the formation of different, new genotypes)**
- **mutations (lead to the formation of new genes, other systems within a chromosome or between chromosomes) (Jeżewska-Witkowska, 2010).**



Co-funded by
the European Union

THE MEANING OF VOLATILITY

Aesthetic - diversity of forms in nature,

Material nature - a variety of products is necessary to meet your needs,

Improvement - thanks to the variability, the breeder can select the best animals for a given trait for further breeding (Jeżewska-Witkowska).



Co-funded by
the European Union


USEFULNESS OF KNOWLEDGE OF GENETICS IN ANIMAL HUSBANDRY

- Improvement of animals,
- production planning for market needs, e.g. coat color, color, color of subcutaneous fat, color of shell,
- in animal reproduction,
- predicting their vitality, temperament and physique, the possibility of avoiding defects and diseases of genetic origin,
- creating lines of laboratory animals for the needs of human medicine (Jeżewska-Witkowska, 2010).




Co-funded by
the European Union

VARIABILITY OF QUANTITATIVE FEATURES AND SELECTION DIFFERENCE (MACIEJOWSKI I ZIĘBA, 1982)




**RELATIONSHIP BETWEEN AN INDIVIDUAL'S PHENOTYPE (PX),
ITS GENOTYPE (GX) AND THE GENOTYPE (AND PHENOTYPE) OF
ITS RELATIVES (ANCESTORS, COLLATERAL RELATIVES AND
PROGENY) (MACIEJOWSKI,1990)**



ORIGIN OF ANIMALS IN THE HERD (POPULATION)

(MACIEJOWSKI I ZIĘBA – 1982)

Males mated with females (their offspring) - full siblings, with other females - half-siblings and unrelated individuals in the herd (in population)



Estimating heritability - analysis of variance

We estimate the mean and variance for:

- a/for the whole population,**
- b/for all groups of half-siblings,**
- c/for all sibling groups.**

We rely on the analysis:

- half-sibling groups: cattle, sheep,**
- full sibling groups: poultry, pigs.**


Variation analysis of full-sibling groups, half-sibling groups, and overall variability of unrelated animals.



Co-funded by
the European Union

HERD (POPULATION) VARIABILITY – OVERALL VARIABILITY, HALF-SIBLING VARIABILITY AND FULL-SIBLING VARIABILITY

(MACIEJOWSKI I ZIĘBA – 1982)



HERITABILITY OF TRAITS

Heritability varies depending on the type of trait. The size of the indicator varies from 0 to 1 (or from 0 to 100%).

We distinguish features:

- with a low index, their value ranges from 0.00 to 0.20 - these are the predominant traits related to reproduction (fertility and fertility of animals, laying),
- with an average value of the index from about 0.25 to 0.40 - milk yield, daily gain, body weight at birth, egg weight,
- with an increased heritability index - above 0.4, these are, among others, such features as: protein and fat content in milk, backfat thickness, carcass length in pigs, the surface of the "sirloin eye", egg shell color in poultry, wool thickness in sheep.



Co-funded by
the European Union

BREEDING PROGRESS, VARIABILITY AND HERITABILITY OF TRAITS

- Breeding progress can be defined as the difference between the mean value of a trait in the progeny population compared to the mean value in the parent population.
- The increase in the value of traits achieved by improving environmental conditions is called non-genetic progress.
- Breeding progress is considered to be the difference that has been achieved through breeding work.



Co-funded by
the European Union

SELECTION EFFICIENCY

- **The breeding progress achieved is a measure of the effectiveness of selection.**
- **The amount of breeding progress (ΔG), and thus the effectiveness of selection, depends on:**
 - **accuracy of breeding value assessment,**
 - **selection intensity,**
 - **genetic variation.**



Co-funded by
the European Union

BREEDING PROGRESS - MATHEMATICAL APPROACH

- A simplified formula for breeding progress is as follows:
- $\Delta G = RS * h^2$
- Where:
- RS – selection difference expressed (in units in which the feature is measured);
- h^2 – heritability of the trait.
- proszczony wzór na postęp hodowlany przedstawia się następująco:
- $\Delta G = RS * h^2$
- gdzie:
- RS – różnica selekcyjna wyrażona (w jednostkach w takich jakich jest mierzona cecha);
- h^2 – odziedziczalność cechy.



HERITABILITY AND BREEDING PROGRESS

- Genetic variability existing in the herd (population) has a significant impact on the size of breeding progress, in particular the value of heritability (h^2) of a given trait in this herd.
- With the value of h^2 equal to 1, the entire selection difference is "transferred" to the offspring in the form of an increase in the value of the trait. Breeding progress will be equal to the size of the selection difference. Of course, the example is hypothetical and for very few traits there is such a high heritability.
- With a heritability of 0.5, the offspring will outnumber the parent by 50% of the selection difference.



Co-funded by
the European Union

HERITABILITY AND BREEDING PROGRESS

- On the other hand, if the heritability of traits is zero, breeding progress will be impossible.
- If any of the terms of the product is equal to zero, there will be no breeding progress. The breeder may slightly influence the amount of genetic variation. Using the appropriate mating system or introducing animals from outside to your herd. However, it can significantly affect the accuracy of selection (R - correlation between the breeding value and the phenotypic value. This issue was presented earlier, when assessing the breeding value.



Co-funded by
the European Union

THE LIMITS OF SELECTION RANICE SELEKCJI

- Reasons for the lack of breeding progress - selection limit:
- - the limit of the physiological possibilities of animals;
- - lack of genetic variation: attempts to maintain genetic variation:
 - - through skilful crossbreeding,
 - - importing "breeding material" from outside.



Co-funded by
the European Union

SUMMARY

When conducting breeding work - also starting breeding work, we first need to know the size of genetic parameters in the herd in the population: heritability of traits and correlations between traits.



Co-funded by
the European Union

BIBLIOGRAPHY - SOURCES OF THE PRESENTATION

Charon K. M., Świtoński M., 2006: Genetyka zwierząt. Wydawnictwo Naukowe PWN. Warszawa.

Jeżewska G., Socha S., 2002: Podstawy genetyki i hodowli norek i lisów. W „Podstawy hodowli lisów i norek. Profilaktyka i zwalczanie chorób”. Pod redakcją Glińskiego Z. i Kostro K. PWRiL. Warszawa.

Jeżewska-Witkowska G., Socha S., Dziedzic R. Genetyczne podstawy selekcji zwierząt. w: Łowiecki podręcznik selekcyjona, pod redakcją R. Dziedzica – Oficyna Wydawnicza FOREST), ISBN: 978-83-60450-34-5, 2011.

Jeżewska-Witkowska G., Socha S., 2013: Zwierzęta futerkowe. Rozdział w podręczniku W: Chów i hodowla zwierząt, pod redakcją Szulc Tadeusz, Uniwersytet Przyrodniczy we Wrocławiu – Wydawnictwo Uniwersytetu Przyrodniczego we Wrocławiu, 2013 r., ISBN 978-83-7717-228-5, 2016 r.

Jeżewska-Witkowska G., Socha S., 2016: Zwierzęta futerkowe. W: Hodowla zwierząt, pod redakcją: Szulc Tadeusz. Uniwersytet Przyrodniczy we Wrocławiu – Wydawnictwo Uniwersytetu Przyrodniczego we Wrocławiu 2016 r., Zwierzęta futerkowe. Rozdział w podręczniku W: Chów i hodowla zwierząt, pod redakcją Szulc Tadeusz, Uniwersytet ISBN 978-83-7717-224-7, 2016 r.

Kołodziejczyk D., Weremczuk D. E., Socha S., 2016: Chow i hodowla królików i szynszyli na fermach wielkotowarowych oraz w hodowlach amatorskich. Monografia. Uniwersytet Przyrodniczo-Humanistyczny w Siedlcach Wydawnictwo Uniwersytetu Przyrodniczo-Humanistycznego w Siedlcach, 2016 r. ISBN 978-83-7051-828-8 (129 stron).

Kołodziejczyk D., Jarosz E., Gawryś P., Socha S., 2017: Koty małe i duże. Co warto o nich wiedzieć? Monografia. Uniwersytet Przyrodniczo-Humanistyczny w Siedlcach Wydawnictwo Uniwersytetu Przyrodniczo-Humanistycznego w Siedlcach, 2017 r. ISBN: 978-83-7051-868-4.

Maciejowski J., 1993: Praca hodowlana. W: Hodowla zwierząt futerkowych. Jarosz S. Wydawnictwo Naukowe PWN Warszawa – Kraków, 1993, s. 207 – 230.

Maciejowski J., Zięba J., 1982. Genetyka zwierząt i metody hodowlane. PWN Warszawa.

Nowicki B, Kosowska B., 1995: Genetyka i podstawy hodowli zwierząt. PWRiL Warszawa.

Sasimowski E., 1976: Zarys szczegółowej hodowli zwierząt. PWN Warszawa.



Co-funded by
the European Union

BIBLIOGRAPHY - SOURCES OF THE PRESENTATION

Socha S. 2011: Podstawy genetyki i hodowli zwierząt. w: Produkcja zwierzęca. Cz. 3. Podręcznik do nauki zawodu Technik rolnik w Technikum i Szkole Policealnej. Autorzy: Bombik E., Górski K., Kondracki S., Socha S., Wydawnictwo REA s.j. 2010, ISBN: 978-83-7544-112-3.

Socha S., Guliński P., 2024: Wystawy i pokazy zwierząt gospodarskich cel i ich znaczenie. Wydawnictwo Naukowe Uniwersytetu w Siedlcach.

Socha S., Kołodziejczyk D., Błońska I., Jaroszuk M., 2018: Pszczoła miodna (*Apis mellifera* L.). Nie tylko o miodzie. Monografia. Uniwersytet Przyrodniczo-Humanistyczny w Siedlcach Wydawnictwo Uniwersytetu Przyrodniczo-Humanistycznego w Siedlcach, 2017 r. ISBN: 978-83-7051-897-4, 2018 r.

Socha S., Kołodziejczyk D., 2021: Zwierzęta hodowane i użytkowane w gospodarstwach agroturystycznych. Monografia naukowa. Uniwersytet Przyrodniczo-Humanistyczny w Siedlcach. Wydawnictwo Naukowe Uniwersytetu Przyrodniczo-Humanistycznego w Siedlcach. ISBN 978-83-66541-68-9, 2021.

Socha S., Socik M., Kołodziejczyk D., 2022: Konie huculskie i koniki polskie. Historia i współczesność. Monografia. Uniwersytet Przyrodniczo-Humanistyczny w Siedlcach. Wydawnictwo Naukowe Uniwersytetu Przyrodniczo-Humanistycznego w Siedlcach. ISBN 978-83-67162-13-5, 2022.

Szulc Tadeusz. Uniwersytet Przyrodniczy we Wrocławiu – Wydawnictwo Uniwersytetu Przyrodniczego we Wrocławiu 2016 r., Zwierzęta futerkowe. Rozdział w podręczniku W: Chów i hodowla zwierząt, pod redakcją Szulc Tadeusz, Uniwersytet ISBN 978-83-7717-224-7, 2016 r.

BIBLIOGRAPHY - SOURCES OF THE PRESENTATION

Żuk: B., Wierzbicki H., Zatoń-Dobrowolska M., Kulisiewicz Z. 2011: Genetyka populacji metody hodowlane. PWRiL Warszawa

Wybrane zagadnienia z „Przeglądu Hodowlanego” dotyczące metod hodowli zwierząt

Prace naukowe z zakresu hodowli zwierząt publikowane w czasopismach naukowych
popularno-naukowych publikowane w ostatnich 10 latach.

Dziennik Ustaw związane z organizacją hodowli zwierząt

Praca zbiorowa pod redakcją Zwierzchowskiego L., 1996: Biotechnologia zwierząt. PWN
Warszawa (wybrane zagadnienia).

Partners:



Siedlce University
of Natural Sciences
and Humanities



Czech University
of Life Sciences Prague



Thank you for your attention!

This presentation has been supported by the Erasmus+ KA2 Cooperation Partnerships grant no. 2021-1-SK01-KA220-HED-000032068 "Innovation of the structure and content of study programs in the field of animal genetic and food resources management with the use of digitalisation - Inovácia obsahu a štruktúry študijných programov v oblasti manažmentu živočíšnych genetických a potravinových zdrojov s využitím digitalizácie". The European Commission support for the production of this presentation does not constitute an endorsement of the contents which reflects the views only of the authors, and the Commission cannot be held responsible for any use which may be made of the information contained therein.



Name Surname



Email address



Co-funded by
the European Union